

ABOUT US

In 2006, Wim Vlemmix started manufacturing trailers, boat trailers, flatbed trailers, car transporters, and tipper trailers. The approach adopted by Vlemmix Trailers is to offer a range of basic models that are produced in large quantities. The production of our trailers began in a small industrial hall in Someren. Due to the high demand for our trailers, Vlemmix Trailers moved in 2009 to an 1800 m² facility on Heesakkerweg in Asten. In 2016, son Rick Vlemmix joined the company. Over the years, the company has experienced significant growth, leading Vlemmix Trailers to relocate in early 2018 to a new 3000 m² facility at Florapark 3 in Asten. At the end of 2019, this facility was further expanded to 6000 m².

In 2020, son Bas Vlemmix also joined the company. From that moment on, we started welding the chassis ourselves using four robotic welding machines. This has allowed us to create an even more efficient operation.

Vlemmix Trailers started in the Dutch and Belgian markets, with the French and German markets following soon after. Today, our trailers are available at over 150 points of sale spread across the Benelux, Central, Western, Eastern Europe, and Scandinavia. We hold European approval, meaning all of our produced trailers are authorized to be used on European roads.










CRAFTSMANSHIP

Since its founding in 2006, Vlemmix Trailers has grown into a leading manufacturer of boat trailers. Our trailers offer the perfect solution for the safe and efficient transportation of your boat. With a wide range of models, from single-axle to double-axle and triple-axle, there is always a trailer that meets your needs.

The entire production process takes place in our own factory, allowing us to ensure the highest quality standards. The metal arrives in tube form and is precisely cut to size by our advanced tube laser. The chassis are then manufactured with utmost precision using state-of-the-art welding robots. Customized components are crafted with care and craftsmanship by our experienced professionals, ensuring that each trailer meets the highest standards.

Our trailers, suitable for boats in the trailer segment up to 3500 kg, combine a robust design with a maintenance-friendly construction. The high-quality finish and smart features make Vlemmix trailers a favorite among both recreational and professional users.





STANDARD BOAT TRAILER

The Vlemmix Standard Boat Trailer is designed for the safe and efficient transportation of boats. With its robust construction, this trailer offers a reliable solution for transporting various boat sizes. The standard trailer is equipped with adjustable keel rollers, which can be adjusted in height, length, and width to provide optimal support for the boat.


Additionally, the trailer features a retractable and removable light bar up to 1 meter. The wiring is neatly integrated into the frame and can be easily connected via a 13-pin plug. With its solid design and customizable features, the standard boat trailer is a practical choice for both transport and use on the boat ramp.





Standard boat trailer	Length (cm)	Dimensions (cm)	Height (cm)	Payload (kg)	Tires in Inches
A TRAILER 1350 KG 1 X AXLE 1350 KG	631	631x220	57	1020 KG	14
B TRAILER 1500 KG 1 X AXLE 1500 KG	631	631x220	57	1160 KG	14
C TRAILER 1800 KG 1 X AXLE 1800 KG	631	631x220	57	1400 KG	14
D TRAILER 2700 KG 2 X AXLES 1350 KG	631	631x220	57	2220 KG	14
E TRAILER 1800 KG 1 X AXLE 1800 KG	700	700x220	57	1370 KG	14
F TRAILER 2700 KG 2 X AXLES 1350 KG	700	700x220	57	2190 KG	14
G TRAILER 3000 KG 2 X AXLES 1500 KG	700	700x220	57	2450 KG	14
H TRAILER 3500 KG 2 X AXLES 1800 KG	700	700x220	57	2920 KG	14
I TRAILER 2700 KG 2 X AXLES 1350 KG	780	780x220	57	2140 KG	14
J TRAILER 3000 KG 2 X AXLES 1500 KG	780	780x220	57	2400 KG	14
K TRAILER 3500 KG 2 X AXLES 1800 KG	780	780x220	57	2880 KG	14
L TRAILER 3500 KG 3 X AXLES 1350 KG	780	780x220	57	2840 KG	14
M TRAILER 3500 KG 3 X AXLES 1500 KG	780	780x220	57	2800 KG	14
N TRAILER 3500 KG 3 X AXLES 1800 KG	780	780x220	57	2760 KG	14
O TRAILER 2700 KG 2 X AXLES 1350 KG	840	840x255	57	2130 KG	14
P TRAILER 3000 KG 2 X AXLES 1500 KG	840	840x255	57	2390 KG	14
Q TRAILER 3500 KG 2 X AXLES 1800 KG	840	840x255	57	2860 KG	14
R TRAILER 3500 KG 3 X AXLES 1350 KG	840	840x255	57	2840 KG	14
S TRAILER 3500 KG 3 X AXLES 1500 KG	840	840x255	57	2780 KG	14
T TRAILER 3500 KG 3 X AXLES 1800 KG	840	840x255	57	2740 KG	14
U TRAILER 3500 KG 2 X AXLES 1800 KG	920	920x255	57	2800 KG	14
V TRAILER 3500 KG 3 X AXLES 1350 KG	920	920x255	57	2760 KG	14
W TRAILER 3500 KG 3 X AXLES 1500 KG	920	920x255	57	2730 KG	14
X TRAILER 3500 KG 3 X AXLES 1800 KG	920	920x255	57	2700 KG	14
Y TRAILER 3500 KG 2 X AXLES 1800 KG	1000	1000x255	57	2800 KG	14
Z TRAILER 3500 KG 3 X AXLES 1350 KG	1000	1000x255	57	2750 KG	14
ZA TRAILER 3500 KG 3 X AXLES 1500 KG	1000	1000x255	57	2700 KG	14
ZB TRAILER 3500 KG 3 X AXLES 1800 KG	1000	1000x255	57	2670 KG	14






FLEX-ROLL TRAILER

The Vlemmix Flex-Roll Trailer is ideal for safely transporting various boats. The innovative flex-roll system consists of flexible plastic wheels with polyurethane that leave no scratches or streaks on the boat. This system provides optimal stability and is adjustable in both height and width, making it suitable for different boat sizes. Additional flex-rollers can be added if needed.


The trailer is equipped with an adjustable bow support, waterproof LED lighting with integrated wiring, and can be easily connected via a 13-pin plug. With its solid construction and adjustability, the Flex-Roll Trailer offers versatility and reliability when transporting boats.





Flex-Roll Trailer	Length (cm)	Dimensions (cm)	Height (cm)	Payload (kg)	Tires in Inches
A FLEX-ROLL TRAILER 1350 KG 1 X AXLE 1350 KG	631	631x220	57	1020 KG	14
B FLEX-ROLL TRAILER 1500 KG 1 X AXLE 1500 KG	631	631x220	57	1160 KG	14
C FLEX-ROLL TRAILER 1800 KG 1 X AXLE 1800 KG	631	631x220	57	1400 KG	14
D FLEX-ROLL TRAILER 2700 KG 2 X AXLES 1350 KG	631	631x220	57	2220 KG	14
E FLEX-ROLL TRAILER 1800 KG 1 X AXLE 1800 KG	700	700x220	57	1370 KG	14
F FLEX-ROLL TRAILER 2700 KG 2 X AXLES 1350 KG	700	700x220	57	2190 KG	14
G FLEX-ROLL TRAILER 3000 KG 2 X AXLES 1500 KG	700	700x220	57	2450 KG	14
H FLEX-ROLL TRAILER 3500 KG 2 X AXLES 1800 KG	700	700x220	57	2920 KG	14
I FLEX-ROLL TRAILER 2700 KG 2 X AXLES 1350 KG	780	780x220	57	2140 KG	14
I FLEX-ROLL TRAILER 2700 KG 2 X AXLES 1350 KG	780	780x220	57	2400 KG	14
K FLEX-ROLL TRAILER 3500 KG 2 X AXLES 1800 KG	780	780x220	57	2880 KG	14
L FLEX-ROLL TRAILER 3500 KG 3 X AXLES 1350 KG	780	780x220	57	2840 KG	14
M FLEX-ROLL TRAILER 3500 KG 3 X AXLES 1500 KG	780	780x220	57	2800 KG	14
N FLEX-ROLL TRAILER 3500 KG 3 X AXLES 1800 KG	780	780x220	57	2760 KG	14
O FLEX-ROLL TRAILER 2700 KG 2 X AXLES 1350 KG	840	840x255	57	2130 KG	14
P FLEX-ROLL TRAILER 3000 KG 2 X AXLES 1500 KG	840	840x255	57	2390 KG	14
Q FLEX-ROLL TRAILER 3500 KG 2 X AXLES 1800 KG	840	840x255	57	2860 KG	14
R FLEX-ROLL TRAILER 3500 KG 3 X AXLES 1350 KG	840	840x255	57	2840 KG	14
S FLEX-ROLL TRAILER 3500 KG 3 X AXLES 1500 KG	840	840x255	57	2780 KG	14
T FLEX-ROLL TRAILER 3500 KG 3 X AXLES 1800 KG	840	840x255	57	2740 KG	14
U FLEX-ROLL TRAILER 3500 KG 2 X AXLES 1800 KG	920	920x255	57	2800 KG	14
V FLEX-ROLL TRAILER 3500 KG 3 X AXLES 1350 KG	920	920x255	57	2760 KG	14
W FLEX-ROLL TRAILER 3500 KG 3 X AXLES 1500 KG	920	920x255	57	2730 KG	14
X FLEX-ROLL TRAILER 3500 KG 3 X AXLES 1800 KG	920	920x255	57	2700 KG	14
Y FLEX-ROLL TRAILER 3500 KG 2 X AXLES 1800 KG	1000	1000x255	57	2800 KG	14
Z FLEX-ROLL TRAILER 3500 KG 3 X AXLES 1350 KG	1000	1000x255	57	2750 KG	14
ZA FLEX-ROLL TRAILER 3500 KG 3 X AXLES 1500 KG	1000	1000x255	57	2700 KG	14
ZB FLEX-ROLL TRAILER 3500 KG 3 X AXLES 1800 KG	1000	1000x255	57	2670 KG	14





SAILBOAT TRAILER


The Vlemmix Sailboat Trailer is specially designed for reliable and safe transportation of sailboats. With its compact size, it offers stability, while the adjustable bilge supports can be easily modified in height, length, and width to securely accommodate different boat sizes. The trailer features an extendable and removable light bar with integrated wiring, connected via a 13-pin plug. Optional extra bilge supports and modifications are available, making the trailer suitable for various sailboats and keelboats.





Sailboat Trailer	Length (cm)	Dimensions (cm)	Height (cm)	Payload (kg)	Tires in Inches
A SAILBOAT TRAILER 1350 KG 1 X AXLE 1350 KG	631	631x220	57	1020 KG	14
B SAILBOAT TRAILER 1500 KG 1 X AXLE 1500 KG	631	631x220	57	1160 KG	14
C SAILBOAT TRAILER 1800 KG 1 X AXLE 1800 KG	631	631x220	57	1400 KG	14
D SAILBOAT TRAILER 2700 KG 2 X AXLES 1350 KG	631	631x220	57	2220 KG	14
E SAILBOAT TRAILER 1800 KG 1 X AXLE 1800 KG	700	700x220	57	1370 KG	14
F SAILBOAT TRAILER 2700 KG 2 X AXLES 1350 KG	700	700x220	57	2190 KG	14
G SAILBOAT TRAILER 3000 KG 2 X AXLES 1500 KG	700	700x220	57	2450 KG	14
H SAILBOAT TRAILER 3500 KG 2 X AXLES 1800 KG	700	700x220	57	2920 KG	14
I SAILBOAT TRAILER 2700 KG 2 X AXLES 1350 KG	780	780x220	57	2140 KG	14
J SAILBOAT TRAILER 3000 KG 2 X AXLES 1500 KG	780	780x220	57	2400 KG	14
K SAILBOAT TRAILER 3500 KG 2 X AXLES 1800 KG	780	780x220	57	2880 KG	14
L SAILBOAT TRAILER 3500 KG 3 X AXLES 1350 KG	780	780x220	57	2840 KG	14
M SAILBOAT TRAILER 3500 KG 3 X AXLES 1500 KG	780	780x220	57	2800 KG	14
N SAILBOAT TRAILER 3500 KG 3 X AXLES 1800 KG	780	780x220	57	2760 KG	14
O SAILBOAT TRAILER 2700 KG 2 X AXLES 1350 KG	840	840x255	57	2130 KG	14
P SAILBOAT TRAILER 3000 KG 2 X AXLES 1500 KG	840	840x255	57	2390 KG	14
Q SAILBOAT TRAILER 3500 KG 2 X AXLES 1800 KG	840	840x255	57	2860 KG	14
R SAILBOAT TRAILER 3500 KG 3 X AXLES 1350 KG	840	840x255	57	2840 KG	14
S SAILBOAT TRAILER 3500 KG 3 X AXLES 1500 KG	840	840x255	57	2780 KG	14
T SAILBOAT TRAILER 3500 KG 3 X AXLES 1800 KG	840	840x255	57	2740 KG	14
U SAILBOAT TRAILER 3500 KG 2 X AXLES 1800 KG	920	920x255	57	2800 KG	14
V SAILBOAT TRAILER 3500 KG 3 X AXLES 1350 KG	920	920x255	57	2760 KG	14
W SAILBOAT TRAILER 3500 KG 3 X AXLES 1500 KG	920	920x255	57	2730 KG	14
X SAILBOAT TRAILER 3500 KG 3 X AXLES 1800 KG	920	920x255	57	2700 KG	14
Y SAILBOAT TRAILER 3500 KG 2 X AXLES 1800 KG	1000	1000x255	57	2800 KG	14
Z SAILBOAT TRAILER 3500 KG 3 X AXLES 1350 KG	1000	1000x255	57	2750 KG	14
ZA SAILBOAT TRAILER 3500 KG 3 X AXLES 1500 KG	1000	1000x255	57	2700 KG	14
ZB SAILBOAT TRAILER 3500 KG 3 X AXLES 1800 KG	1000	1000x255	57	2670 KG	14





BEAM TRAILER

The Vlemmix Beam Trailer is designed for the reliable and efficient transport of boats. This trailer provides a stable and sturdy solution, with impregnated wooden beams that optimally support the boat during transport. The rot- and abrasion-resistant felt carpet surrounding the beams protects the boat from scratches and other damage, contributing to the safety of the vessel.

Adjustable beams and a bow support make it easy to adapt the trailer to different boats, ensuring that they are always securely and safely positioned. Additionally, the trailer features a retractable and detachable light bar, with the wiring neatly integrated into the frame and easily connected via a 13-pin plug.





Beam Trailer	Length (cm)	Dimensions (cm)	Height (cm)	Payload (kg)	Tires in Inches
A BEAM TRAILER 1350 KG 1 X AXLE 1350 KG	631	631x220	57	1020 KG	14
B BEAM TRAILER 1500 KG 1 X AXLE 1500 KG	631	631x220	57	1160 KG	14
C BEAM TRAILER 1800 KG 1 X AXLE 1800 KG	631	631x220	57	1400 KG	14
D BEAM TRAILER 2700 KG 2 X AXLES 1350 KG	631	631x220	57	2220 KG	14
E BEAM TRAILER 1800 KG 1 X AXLE 1800 KG	700	700x220	57	1370 KG	14
F BEAM TRAILER 2700 KG 2 X AXLE 1350 KG	700	700x220	57	2190 KG	14
G BEAM TRAILER 3000 KG 2 X AXLES 1500 KG	700	700x220	57	2450 KG	14
H BEAM TRAILER 3500 KG 2 X AXLES 1800 KG	700	700x220	57	2920 KG	14
I BEAM TRAILER 2700 KG 2 X AXLES 1350 KG	780	780x220	57	2140 KG	14
J BEAM TRAILER 3000 KG 2 X AXLES 1500 KG	780	780x220	57	2400 KG	14
K BEAM TRAILER 3500 KG 2 X AXLES 1800 KG	780	780x220	57	2880 KG	14
L BEAM TRAILER 3500 KG 3 X AXLES 1350 KG	780	780x220	57	2840 KG	14
M BEAM TRAILER 3500 KG 3 X AXLES 1500 KG	780	780x220	57	2800 KG	14
N BEAM TRAILER 3500 KG 3 X AXLES 1800 KG	780	780x220	57	2760 KG	14
O BEAM TRAILER 2700 KG 2 X AXLES 1350 KG	840	840x255	57	2130 KG	14
P BEAM TRAILER 3000 KG 2 X AXLES 1500 KG	840	840x255	57	2390 KG	14
Q BEAM TRAILER 3500 KG 2 X AXLES 1800 KG	840	840x255	57	2860 KG	14
R BEAM TRAILER 3500 KG 3 X AXLES 1350 KG	840	840x255	57	2840 KG	14
S BEAM TRAILER 3500 KG 3 X AXLES 1500 KG	840	840x255	57	2780 KG	14
T BEAM TRAILER 3500 KG 3 X AXLES 1800 KG	840	840x255	57	2740 KG	14
U BEAM TRAILER 3500 KG 2 X AXLES 1800 KG	920	920x255	57	2800 KG	14
V BEAM TRAILER 3500 KG 3 X AXLES 1350 KG	920	920x255	57	2760 KG	14
W BEAM TRAILER 3500 KG 3 X AXLES 1500 KG	920	920x255	57	2730 KG	14
X BEAM TRAILER 3500 KG 3 X AXLES 1800 KG	920	920x255	57	2700 KG	14
Y BEAM TRAILER 3500 KG 2 X AXLES 1800 KG	1000	1000x255	57	2800 KG	14
Z BEAM TRAILER 3500 KG 3 X AXLES 1350 KG	1000	1000x255	57	2750 KG	14
ZA BEAM TRAILER 3500 KG 3 X AXLES 1500 KG	1000	1000x255	57	2700 KG	14
ZB BEAM TRAILER 3500 KG 3 X AXLES 1800 KG	1000	1000x255	57	2670 KG	14











el roller tilting system Bowguider with suppo




















Spare wheel

















Width marker boards

Powder-coated