

BEAM TRAILER

The Vlemmix Beam Trailer is designed for the reliable and efficient transport of boats. This trailer provides a stable and sturdy solution, with impregnated wooden beams that optimally support the boat during transport. The rot- and abrasion-resistant felt carpet surrounding the beams protects the boat from scratches and other damage, contributing to the safety of the vessel.

Adjustable beams and a bow support make it easy to adapt the trailer to different boats, ensuring that they are always securely and safely positioned. Additionally, the trailer features a retractable and detachable light bar, with the wiring neatly integrated into the frame and easily connected via a 13-pin plug.






Beam Trailer	Length (cm)	Dimensions (cm)	Height (cm)	Payload (kg)	Tires in Inches
A BEAM TRAILER 1350 KG 1 X AXLE 1350 KG	631	631x220	57	1020 KG	14
B BEAM TRAILER 1500 KG 1 X AXLE 1500 KG	631	631x220	57	1160 KG	14
C BEAM TRAILER 1800 KG 1 X AXLE 1800 KG	631	631x220	57	1400 KG	14
D BEAM TRAILER 2700 KG 2 X AXLES 1350 KG	631	631x220	57	2220 KG	14
E BEAM TRAILER 1800 KG 1 X AXLE 1800 KG	700	700x220	57	1370 KG	14
F BEAM TRAILER 2700 KG 2 X AXLE 1350 KG	700	700x220	57	2190 KG	14
G BEAM TRAILER 3000 KG 2 X AXLES 1500 KG	700	700x220	57	2450 KG	14
H BEAM TRAILER 3500 KG 2 X AXLES 1800 KG	700	700x220	57	2920 KG	14
I BEAM TRAILER 2700 KG 2 X AXLES 1350 KG	780	780x220	57	2140 KG	14
J BEAM TRAILER 3000 KG 2 X AXLES 1500 KG	780	780x220	57	2400 KG	14
K BEAM TRAILER 3500 KG 2 X AXLES 1800 KG	780	780x220	57	2880 KG	14
L BEAM TRAILER 3500 KG 3 X AXLES 1350 KG	780	780x220	57	2840 KG	14
M BEAM TRAILER 3500 KG 3 X AXLES 1500 KG	780	780x220	57	2800 KG	14
N BEAM TRAILER 3500 KG 3 X AXLES 1800 KG	780	780x220	57	2760 KG	14
O BEAM TRAILER 2700 KG 2 X AXLES 1350 KG	840	840x255	57	2130 KG	14
P BEAM TRAILER 3000 KG 2 X AXLES 1500 KG	840	840x255	57	2390 KG	14
Q BEAM TRAILER 3500 KG 2 X AXLES 1800 KG	840	840x255	57	2860 KG	14
R BEAM TRAILER 3500 KG 3 X AXLES 1350 KG	840	840x255	57	2840 KG	14
S BEAM TRAILER 3500 KG 3 X AXLES 1500 KG	840	840x255	57	2780 KG	14
T BEAM TRAILER 3500 KG 3 X AXLES 1800 KG	840	840x255	57	2740 KG	14
U BEAM TRAILER 3500 KG 2 X AXLES 1800 KG	920	920x255	57	2800 KG	14
V BEAM TRAILER 3500 KG 3 X AXLES 1350 KG	920	920x255	57	2760 KG	14
W BEAM TRAILER 3500 KG 3 X AXLES 1500 KG	920	920x255	57	2730 KG	14
X BEAM TRAILER 3500 KG 3 X AXLES 1800 KG	920	920x255	57	2700 KG	14
Y BEAM TRAILER 3500 KG 2 X AXLES 1800 KG	1000	1000x255	57	2800 KG	14
Z BEAM TRAILER 3500 KG 3 X AXLES 1350 KG	1000	1000x255	57	2750 KG	14
ZA BEAM TRAILER 3500 KG 3 X AXLES 1500 KG	1000	1000x255	57	2700 KG	14
ZB BEAM TRAILER 3500 KG 3 X AXLES 1800 KG	1000	1000x255	57	2670 KG	14





























Spare wheel

Alloy wheels













Width marker boards





Powder-coated