





Standard boat trailer

+31(0)493-724980 - Florapark 3 - 5721VH Asten
www.vlemmixaanhangwagens.nl



Plastic keel rollers
tiltable



Rubber support
cushion tiltable



Hole attachment
for tie-down strap



Keel roller polyurethane
with stainless steel core



Integrated LED
side marker lighting



1

KNOTT
OVERRUN
BRAKE

BOAT WINCH
1200 KG

INTEGRATED
LED LIGHTING

KEEL ROLLER
POLYURETHANE

2
STAINLESS STEEL
BRAKE SYSTEM

ADJUSTABLE
RUBBER SUPPORT
CUSHION

1M EXTENDABLE
LIGHT BAR

250KG FOLDING
JOCKEY WHEEL

ROBOT-WELDED CHASSIS
MADE FROM BOX PROFILE

ADJUSTABLE PLASTIC
KEEL ROLLERS

KNOTT
AXLES

WHEEL + TIRE
185 R14 900 KG

Standard boat trailer

STANDARD BOAT TRAILER

The Vlemmix Standard Boat Trailer is designed for the safe and efficient transportation of boats. With its robust construction, this trailer offers a reliable solution for transporting various boat sizes. The standard trailer is equipped with adjustable keel rollers, which can be adjusted in height, length, and width to provide optimal support for the boat.

Additionally, the trailer features a retractable and removable light bar up to 1 meter. The wiring is neatly integrated into the frame and can be easily connected via a 13-pin plug. With its solid design and customizable features, the standard boat trailer is a practical choice for both transport and use on the boat ramp.




1 axle




Standard boat trailer	Length (cm)	Dimensions (cm)	Height (cm)	Payload (kg)	Tires in Inches
A TRAILER 1350 KG 1 X AXLE 1350 KG	631	631x220	57	1020 KG	14
B TRAILER 1500 KG 1 X AXLE 1500 KG	631	631x220	57	1160 KG	14
C TRAILER 1800 KG 1 X AXLE 1800 KG	631	631x220	57	1400 KG	14
D TRAILER 2700 KG 2 X AXLES 1350 KG	631	631x220	57	2220 KG	14
E TRAILER 1800 KG 1 X AXLE 1800 KG	700	700x220	57	1370 KG	14
F TRAILER 2700 KG 2 X AXLES 1350 KG	700	700x220	57	2190 KG	14
G TRAILER 3000 KG 2 X AXLES 1500 KG	700	700x220	57	2450 KG	14
H TRAILER 3500 KG 2 X AXLES 1800 KG	700	700x220	57	2920 KG	14
I TRAILER 2700 KG 2 X AXLES 1350 KG	780	780x220	57	2140 KG	14
J TRAILER 3000 KG 2 X AXLES 1500 KG	780	780x220	57	2400 KG	14
K TRAILER 3500 KG 2 X AXLES 1800 KG	780	780x220	57	2880 KG	14
L TRAILER 3500 KG 3 X AXLES 1350 KG	780	780x220	57	2840 KG	14
M TRAILER 3500 KG 3 X AXLES 1500 KG	780	780x220	57	2800 KG	14
N TRAILER 3500 KG 3 X AXLES 1800 KG	780	780x220	57	2760 KG	14
O TRAILER 2700 KG 2 X AXLES 1350 KG	840	840x255	57	2130 KG	14
P TRAILER 3000 KG 2 X AXLES 1500 KG	840	840x255	57	2390 KG	14
Q TRAILER 3500 KG 2 X AXLES 1800 KG	840	840x255	57	2860 KG	14
R TRAILER 3500 KG 3 X AXLES 1350 KG	840	840x255	57	2840 KG	14
S TRAILER 3500 KG 3 X AXLES 1500 KG	840	840x255	57	2780 KG	14
T TRAILER 3500 KG 3 X AXLES 1800 KG	840	840x255	57	2740 KG	14
U TRAILER 3500 KG 2 X AXLES 1800 KG	920	920x255	57	2800 KG	14
V TRAILER 3500 KG 3 X AXLES 1350 KG	920	920x255	57	2760 KG	14
W TRAILER 3500 KG 3 X AXLES 1500 KG	920	920x255	57	2730 KG	14
X TRAILER 3500 KG 3 X AXLES 1800 KG	920	920x255	57	2700 KG	14
Y TRAILER 3500 KG 2 X AXLES 1800 KG	1000	1000x255	57	2800 KG	14
Z TRAILER 3500 KG 3 X AXLES 1350 KG	1000	1000x255	57	2750 KG	14
ZA TRAILER 3500 KG 3 X AXLES 1500 KG	1000	1000x255	57	2700 KG	14
ZB TRAILER 3500 KG 3 X AXLES 1800 KG	1000	1000x255	57	2670 KG	14

Additional options







Additional keel rollers



Adjustable kim support



Eyelet for securing tie-down strap



Double keel rollers




Adjustable double kim support



Toolbox



Adjustable keel roller



Keel roller tilting system




Bowguider with supports




Winch support with catchment mouth



Winch support



Roller catch



V-construction



Folding LED lighting




Double roller catch jaw



Spare wheel



Alloy wheels



SCM approved lock



Air tires



Roller set 60cm



Light bar extension



Rinsing system



Shock absorbers



Wheel chocks



Width marker boards



Aluminum ramp 3 meters



Powder-coated