

Tiny House Trailer low model

+31(0)493-724980 - Florapark 3 - 5721VH Asten
www.vlemmixaanhangwagens.nl



LED lighting
sides




Support legs
mounted



Houder
remstang



License plate holder
with LED lighting



LED lighting
front



KNOTT
OVERRUN BRAKE

MOUNTING FOR FRONT
SUPPORT LEGS

GROUND CLEARANCE:
52 CM

MOUNTING FOR REAR
SUPPORT LEGS

TOW WHEEL
500KG FOLDABLE

ROBOT-WELDED CHASSIS
MADE FROM BOX PROFILE

THERMALLY
GALVANIZED


KNOTT
AXLES

WHEEL + TIRE
195/50R13 900 KG

Tiny House Trailer low model	Length (cm)	Platform (cm)	Height (cm)	Payload	Tires in inches
TH300 Low model 3500 kg 1 x axle 1800 kg	450	300x244	52	1470 KG	13
TH300 Low model 3500 kg 2 x axle 1350 kg	450	300x244	52	2300 KG	13
TH300 Low model 3500 kg 2 x axle 1800 kg	450	300x244	52	3030 KG	13
TH360 Low model 3500 kg 1 x axle 1800 kg	510	360x244	52	1440 KG	13
TH360 Low model 3500 kg 2 x axle 1350 kg	510	360x244	52	2270 KG	13
TH360 Low model 3500 kg 2 x axle 1800 kg	510	360x244	52	3000 KG	13
TH420 Low model 3500 kg 1 x axle 1800 kg	570	420x244	52	1420 KG	13
TH420 Low model 3500 kg 2 x axle 1350 kg	570	420x244	52	2250 KG	13
TH420 Low model 3500 kg 2 x axle 1800 kg	570	420x244	52	2980 KG	13
TH480 Low model 3500 kg 2 x axle 1350 kg	630	480x244	52	2230 KG	13
TH480 Low model 3500 kg 2 x axle 1800 kg	630	480x244	52	2960 KG	13
TH540 Low model 3500 kg 2 x axle 1800 kg	690	540x244	52	2930 KG	13
TH540 Low model 3500 kg 3 x axle 1350 kg	690	540x244	52	2890 KG	13
TH540 Low model 3500 kg 3 x axle 1800 kg	690	540x244	52	2800 KG	13
TH600 Low model 3500 kg 2 x axle 1800 kg	750	600x244	52	2900 KG	13
TH600 Low model 3500 kg 3 x axle 1350 kg	750	600x244	52	2860 KG	13
TH600 Low model 3500 kg 3 x axle 1800 kg	750	600x244	52	2770 KG	13
TH660 Low model 3500 kg 2 x axle 1800 kg	810	660x244	52	2880 KG	13
TH660 Low model 3500 kg 3 x axle 1350 kg	810	660x244	52	2840 KG	13
TH660 Low model 3500 kg 3 x axle 1350 kg	810	660x244	52	2750 KG	13
TH720 Low model 3500 kg 2 x axle 1800 kg	870	720x244	52	2850 KG	13
TH720 Low model 3500 kg 3 x axle 1350 kg	870	720x244	52	2810 KG	13
TH720 Low model 3500 kg 3 x axle 1800 kg	870	720x244	52	2720 KG	13
TH780 Low model 3500 kg 2 x axle 1800 kg	930	780x244	52	2820 KG	13
TH780 Low model 3500 kg 3 x axle 1350 kg	930	780x244	52	2780 KG	13
TH780 Low model 3500 kg 3 x axle 1800 kg	930	780x244	52	2700 KG	13
TH840 Low model 3500 kg 2 x axle 1800 kg	990	840x244	52	2800 KG	13
TH840 Low model 3500 kg 3 x axle 1350 kg	990	840x244	52	2760 KG	13
TH840 Low model 3500 kg 3 x axle 1800 kg	990	840x244	52	2680 KG	13

Extra options





Support legs (4x 1300 kg)



Reinforced jockey wheel




Spare wheel holder



U-bracket 190mm long with plate



Shock absorbers mounted




SCM approved lock



Reinforced steel tandem mudguard



Reinforced steel tridem mudguard



Jockey wheel 800kg